

BRAVIA[™] 4K Professional Displays

24/7 displays designed for business

BZ40H-series FW-85BZ40H FW-75BZ40H FW-65BZ40H FW-55BZ40H

BZ35F-series FW-49BZ35F FW-43BZ35F

















Ultimate Picture Quality



Full Array LED

16:9 4K resolution (3840 x 2160 pixels)

With over 8 million pixels, a 4K resolution screen offers four times the detail of Full HD. Combined with the ability to manage 4K 60P up to 18Gbps, it now produces a level of detail and realism beyond anything you've seen before.

4K HDR X1 Processor

Our powerful 4K HDR X1 Processor enhances contrast, clarity and color to the highest level. Clarity improves with intelligent upscaling and noise reduction, colors are individually enhanced, and the dynamic range of contrast is optimized frame by frame.

Higher contrast, higher brightness

With Full Array Local Dimming being supported (applies to BZ40H models only), specific sections of the screen can be incredibly bright while other areas remain pitch black so you get the best contrast possible, in addition, light areas in the image receive a boost in backlighting, creating brilliant peaks of brightness.

Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



Strong performance

With new functionalities such as Wi-Fi 5GHz Support, Apple AirPlay, Chromecast built-in, DICOM, the BRAVIA performance is stronger than ever before.

Elegant design

With the sleek new design, your BRAVIA will add a perfectly sophisticated touch to any environment.

Versatile control options

Easily control your BRAVIA remotely – including on/off, input signal select and adjust volume – via IP or via RS-232C. For quick operation in meetings or for digital signage, it takes just one click to change to your chosen default settings.

Automatic on/off feature

Easily program your BRAVIA with the On Timer feature to automatically turn your BRAVIA on or off.

Mode portrait and 24/7 capability

For greater signage impact, the BRAVIA Display can be used in both in portrait orientation and operate 24/7.

Professional Mode

There is now more control to disable input or remote control, remove labels and block buttons; customize and store display settings and features, add security then copy them easily from display to display via USB flash memory.



Ideal for:

Corporate Settings Digital Signage Video Conferencing Education Environments

Do more with BRAVIA

Software platform to enhance business applications



World Comparison

Simple and easy 4K signage configuration

You can easily establish 4K digital signage by simply selecting the files or URLs of video, stills, or web pages. It's all manageable via a USB memory; your 4K signage solution is ready to get started on an affordable budget. What's more, 2K content gets automatically upconverted to 4K so even your current content can be displayed with finer results.







Flexible content layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content as well as the portal site for hotel room guests without requiring a set-top box or PC. The content screen can be freely laid out using the 4K video, pictures, or even with the HDMI input.

Over 100 REST APIs for remote monitoring and control

With more than 100 REST APIs built-in, monitoring and controls from remote locations and integration with external systems are available. We also provide a free app that enables control of the display via IP.

Meeting room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There is no need for extra controllers in the room and settings stay exactly as they have been programmed.

BZ-series Specifications

		FW-43BZ35F	FW-49BZ35F	FW-55BZ40H	FW-65BZ40H	FW-75BZ40H	FW-85BZ40H
	Screen Size	43"	49"	55"	65"	75"	85"
	Brightness (cd/m ²)	505		Typ. 620 / Peak 850			
	Native contrast ratio	1400:1	5000:1		6,000:1		4,000:1
	Dynamic contrast ratio	4000		5500		6000	
General	Response Time (ms)	5			3		6
features		5					0
	Display resolution (H x V, pixels)	Yes (HDR10, HLG)		3840			
	HDR (High Dynamic Range) compatiblity	Yes (HDF		Yes(HDR10,HLG,Dolby Vision)			
	Aspect Ratio	16:9					
	Portrait Compatibility	Yes			S		
	Dimming type	Frame Dimming			Local D	imming	
	Display device			LC	D		
Display	Backlight type	Edge LED		Direct(Full Array LED)			
features	4K Processor			4K HDR Processor X1			
	Operation time			4K HDR Processor XI 24/7			
		Wide zoom (Norm	al/Eull/Zoom/14:0	24		Normal/Full/Zoom	
	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9 Auto/Wide zoom/Normal/Full/Zoom					
	4:3 Default	Yes					
	Video Processing	4K X-Reality PRO					
	Motion enhancer	Motionflow XR 800Hz (Native 100Hz) X-Motion Clarity, Auto mode					
Kalan Carna	TRILUMINOS Display			Y	25		
Video Specs	Viewing Angle (Right/Left/Up/Down)	178(89/89) degree					
	HDMI Signal	4096x2160p (24,50, (24,25,30,50,60Hz), 1080p 1080i (50,60Hz), 720p (576p, 576i,	(30,50,60Hz), 1080/24p,	4096x2160p (24,60Hz), 3840x2160p (24,30,60Hz), 1080p (30,60,120Hz), 1080/24p, 1080i (60Hz), 720p (30,60Hz), 720/24p, 480p			
	Speaker Position	Down Firing				Side Back + Down Firing	
Audio Specs			DownThing	10W -	10W	Side back - Down Hilling	
	Audio Power Output						
	Professional Hidden mode			Pro M			
Professional	HDMI auto wake-up			Y			
	HTML5 platform	Yes					
eatures	Multicast/IPTV			Y	25		
	Operating System* As of 2020 August	Android 9.0 (via f	irmware update)		Andro	oid 9.0	
	On-board Storage (GB)	/ 110/010 510 (110 1		Android 9.0			
		16GB* The actual capacity available to the user will vary depending on OS and installed software requirements.					
		Yes					
	Wi-Fi Direct						
Network Specs	Wi-Fi Certified			Y	25		
Network Specs			IPEG2PS:MPEG2/	Yı İnteg			
Convenience	Wi-Fi Certified	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid,	Integ MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii	rated EG2PS:MPEG2/MPEG2TS(I d,MotinJpeg/ASF(WMV):VC	HDV,AVCHD):MPEG2,AVC/ 1/MOV:AVC,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/	MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/	MPEG1:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VO M:VP8/3GPP:MPEG4,AVC/ 25	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/	Integ MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VG M:VP8/3GPP:MPEG4,AVC/ 25 25	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/	MPEG1:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VG M:VP8/3GPP:MPEG4,AVC/ 25 25	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/	Integ MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi	rated EG2PS:MPEG2/MPEG2TS(J.Motin)peg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ (C/FLAC/JPEG	MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(I J,Motin)peg/ASF(WMV):VC J:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25	C1/MOV:AVC,MPEG4,Motic	nJpeg/MKV:Xvid,AVC
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ (C/FLAC/JPEG	MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(I J,Motin)peg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W	nJpeg/MKV:Xvid,AVC
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ (C/FLAC/JPEG	MPEG1:MPEG1/MP MPEG4,HEVC/AVI:Xvi MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS((MotinJpeg/ASF(WMV)):V M:PP8/3GPP:MPEG4,AVC/ M:PP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W	nJpeg/MKV:Xvid,AVC
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ (C/FLAC/JPEG	MPEGI:MPEG1/MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu	rated EG2PS:MPEG2/MPEG2TS(d;MotinJpeg/ASF(WMV):VC di/VP8/3GPP:MPEG4,AVC/ 2S 2S 2S 2S 2S 2S 2S 2S 2S 2S 2S 2S 2S	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotinJpeg/ASF(WMV): MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC1/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ (C/FLAC/JPEG	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VO M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W	nJpeg/MKV:Xvid,AVC
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDCP	MPEG2TS(HDV,/ AVC/MP4(XAVC S),AVC Motinlpeg/AKV:XVid, WEBM:VP8/3GPP:MPEG WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG	MPEGI:MPEG1/MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu Yu	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es	nJpeg/MKV:Xvid,AVC
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s)	MPEG2TS(HDV,/ AVC/MP4(XAVC S),AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA WAV/MP4AA	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC,MPEG4,VPB.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(J,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA WAV/MP4AA N 1 (Rear Hybrid V 4 (3Side	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VCI/MOV:AVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 w/Component) 2,1Rear)	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(3,Motin)peg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) jide)	nJpeg/MKV:Xvid,AVC
Convenience features Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total)	MPEG2TS(HDV, AVC/MF4(XAVC S).AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA N N 1 1(Rear Hybrid v 4 (3Side 1 (Rear 1), 18000000000000000000000000000000000000	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG o o w/Component) s_IRear) ear)	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS((MotinJpeg/ASF(WMV):VC M:PP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) Side) g Conversion)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total	MPEG2TS(HDV, AVC/MP4(XAVC S):AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA WAV/MP4AA N 1 (Rear Hybrid V 4 (3Side	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG o o w/Component) s_IRear) ear)	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(3,Motin)peg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) Side) g Conversion)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total)	MPEG2TS(HDV, AVC/MF4(XAVC S).AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA N N 1 1(Rear Hybrid v 4 (3Side 1 (Rear 1), 18000000000000000000000000000000000000	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/IPEG 0 0 w/Component) 1,1Rear) ear) ear)	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS((MotinJpeg/ASF(WMV):VC M:PP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDMI-DCP Composite Video Input(s) HDMI Inputs total Analog Audio Input(s) (Total) Digital Audio Output(s)	MPEG2TS(HDV, AVC/MF4(XAVC S).AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA A A A A A A A A A A A A A A A A A A	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/IPEG 0 0 w/Component) 1,1Rear) ear) ear)	MPEGI:MPEG1/MPE MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBJ Yi Yi Yi Yi Yi Yi Yi Yi Yi	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDMI-DP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports	MPEG2TS(HDV, AVC/MF4(XAVC S).AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA A A A A A A A A A A A A A A A A A A	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC,MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/IPEG 0 0 w/Component) 1,1Rear) ear) ear)	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yu Yu Yu Yu Yi HDCP2.3(for H HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC di/VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC Motinlpeg/ASF(WMV): Motionlpeg/MKV:Xvi,g WEBM:VP8/3GPP:MPEG WAV/MP4AA N 1 1 1 (Rear Hybrid V 4 (3slote 1 (R 1 (R 3 (S	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/I/MO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ c/FLAC/JPEG o o v/Component) e,1Rear) ear) ear) ide)	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 2S 2S 2S 2S 2S 4DM1/2/3/4) 1(Side Analog 1(Side Analog 2(S de) 2(S) 2(S) 2(S) 2(S) 2(S) 2(S) 2(S) 2(S	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design	MPEG2TS(HDV, AVC/MF4(XAVC S).AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA A A A A A A A A A A A A A A A A A A	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/I/MO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ c/FLAC/JPEG o o v/Component) e,1Rear) ear) ear) ide)	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide)	nJpeg/MKV:Xvid,AVC
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	MPEG2TS(HDV,/ AVC/MP4(XAVC S),AVC Motinlpeg/MKV:XVi, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1(Rear Hybrid \ 1(Rear Hybrid \ 1(R 1(R 1(R 3)(S 3)(S 5)(Ver C)	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4,UPS.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 v/Component) ear) ear) ear) ear) hevron	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yu Yu Yu Yu Yi HDCP2.3(for H HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide)	nJpeg/MKV:Xvid,AVC
ionvenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H)	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC Motinlpeg/ASF(WMV): Motionlpeg/MKV:Xvi,g WEBM:VP8/3GPP:MPEG WAV/MP4AA N 1 1 1 (Rear Hybrid V 4 (3slote 1 (R 1 (R 3 (S	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/I/MO:VAVC.MPEG4, AVC,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ c/FLAC/JPEG o o v/Component) e,1Rear) ear) ear) ide)	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide)	nJpeg/MKV:Xvid,AV0
ionvenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDMI-DCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer	MPEG2TS(HDV,/ AVC/MP4(XAVC S),AVC Motinlpeg/MKV:XVi, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1(Rear Hybrid \ 1(Rear Hybrid \ 1(R 1(R 1(R 3)(S 3)(S 5)(Ver C)	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4,UPS.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 v/Component) ear) ear) ear) ear) hevron	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide)	nJpeg/MKV:Xvid,AVC
onvenience eatures ontrol Specs nputs and utputs esign eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Kore Size for WEB(diagonal, cm, integer or 1st decimal)	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ .C/FLAC/JPEG o o w/Component) e,1Rear) ear) ear) ear) ear) ide) hevron 200x200 mm 123.2cm	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H HDCP2.3(for H) Yi HDCP2.3(for H) HDCP2.3(for H) Yi HDCP2.3(for H) HDCP2.3(for	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC di/VP8/3GPP:MPEG4,AVC/ 2S 2S 2S 2S 4E 4DM1/2/3/4) 1(Sid 4C 4C 1(Side Analog 1(Sid 4C 1(Side Analog 1(Sid 4C 1(Sid 4C) 2(Sid 4C) 1(Sid 4C) 2(Sid 4C) 1(Sid 4C) 1(Sid 4C) 2(Sid 4C) 1(Sid 1	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JI
onvenience eatures ontrol Specs oputs and utputs esign eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC Motinlpeg/ASF(WMV); Motionlpeg/MKV:Xvi,d WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 8 3 1 8 3 1 8 3 1 8 3 1 8 3 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/I/MO:VAVC.MPEG4,UP8.HEVC/ 4,AVC/MP3/ASF(WWA)/ C/FLAC/JPEG 0 0 v/Component) 2,1Rear) ear) ear) ear) 200x200 mm	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide) ide) ide) ide ade Stand	njpeg/MKV:Xvid,AVV AV/MP4AAC/FLAC/JI
onvenience eatures ontrol Specs oputs and utputs esign eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ .C/FLAC/JPEG o o w/Component) e,1Rear) ear) ear) ear) ear) ide) hevron 200x200 mm 123.2cm	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi HDCP2.3(for H HDCP2.3(for H))))))))))))))))))))))))))))))))))))	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JI
onvenience eatures ontrol Specs oputs and utputs esign eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ .C/FLAC/JPEG o o w/Component) e,1Rear) ear) ear) ear) ear) ide) hevron 200x200 mm 123.2cm	Integ MPEGI:MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JI
onvenience eatures ontrol Specs oputs and utputs esign eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ .C/FLAC/JPEG o o w/Component) e,1Rear) ear) ear) ear) ear) ide) hevron 200x200 mm 123.2cm	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi HDCP2.3(for H HDCP2.3(for H))))))))))))))))))))))))))))))))))))	rated EG2PS:MPEG2/MPEG2TS(V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JI
Convenience eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC Motinlpeg/ASF(WMV): Motionlpeg/MKV:Xvi,d WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, VC/IMO:VAVC.MPEG4,UP8.HEVC/ 4,AVC/MP3/ASF(WWA)/ C/FLAC/JPEG 0 0 v/Component) 2,1Rear) ear) ear) ear) 200x200 mm 123.2cm 145W	Integ MPEG1-MPEG1/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEB1 Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr Yr	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ es es es es es es es es es es es es es	2//MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) ide) ide) ade Stand 189.0 cm 277W	njpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JF 400x400 mm 215.0 cm 318W
Convenience eatures Control Specs Control Specs Design catures Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	MPEG2TS(HDV,/ AVC/MP4(XAVC S).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG o o w/Component) e,1Rear) ear) ear) ear) ear) ide) hevron 200x200 mm 123.2cm	Integ MPEG1:MPEG1/MP MPEG4,HEVC/WEBI MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi HDCP2.3(for I HDCP2.3(for I Bia Bia Bia Bia Bia Bia Bia Bia Bia Bia	rated EG2PS:MPEG2/MPEG2TS(V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V MitinJpeg/ASF(WMV)/V es es es es es es es es es es	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JF AV/MP4AAC/F
Convenience leatures Control Specs Inputs and Dutputs Design Environment Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D)	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1(Rear Hybrid \ 1(Rear Hybrid \ 100x200 mm 100x200 mm 100x200 mm 100x200 mm 120W	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AVI:XVid, AVC/MPEG4,HEVC/AVI:Xvid, ,VC/MPEG4,VP8.HEVC/ ,4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 0 0 0 0 0 0 0 0 0 0 0	Integ MPEGI:MPEGI/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi Yi Yi HDCP2.3(for I HDCP2.3(for I 1(Si Bia 1(Si Bia 139.0 cm 139.0 cm 139.0 cm 1139.0 cm 1139.0 cm 1139.0 cm 1139.0 cm	rated EG2PS:MPEG2/MPEG2TS(I A)MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM//W es es ide) jc Conversion) ide) jc Conversion) ide) ade Stand 189.0 cm 277W 1674x961x71 mm 1674x1034x410 mm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JF 400x400 mm 215.0 cm 318W 1899x1089x72 mr 1899x1162x441 mr
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDMI-DP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	MPEG2TS(HDV, AVC/MP4(XAVC 5).AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 (Rear Hybrid \ 1 (Rear Hybrid \)))	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AV,MPEG4,VP8.HEVC/ ,AVC/MPEG4,VP8.HEVC/ ,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG o o w/Component) ,1Rear) ear) ear) ear) ear) ear) ear) 1098x644x58 mm	Integ MPEG: MPEG1/MP MPEG4, HEVC/AVI:Xvii MPEG4, VP8. HEVC/WEBI Yi Yi Yi HDCP2.3 (for H HDCP2.3 (for H H HDCP2.3 (for H H H H H H H H H H H H H H H H H H H	rated EG2PS:MPEG2/MPEG2TS(d,MotinJpeg/ASF(WMV):VC di/VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM/W es es ide) g Conversion) ide) g Conversion) ide) ade Stand 189.0 cm 277W 1674x961x71 mm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JF 400x400 mm 215.0 cm 318W 1899x1089x72 mr 1899x1089x72 mr
Convenience leatures Control Specs Inputs and Dutputs Design Environment Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D)	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1(Rear Hybrid \ 1(Rear Hybrid \ 100x200 mm 100x200 mm 100x200 mm 100x200 mm 120W	AVCHD):MPEG2, ,MPEG4,HEVC/AVI:Xvid, ,VC/MO:AVI:XVid, AVC/MPEG4,HEVC/AVI:Xvid, ,VC/MPEG4,VP8.HEVC/ ,4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 0 0 0 0 0 0 0 0 0 0 0	Integ MPEGI:MPEGI/MPEGI/MP MPEG4,HEVC/AVI:Xvii MPEG4,VP8.HEVC/WEBI Yi Yi Yi Yi Yi Yi Yi HDCP2.3(for I HDCP2.3(for I HDCP2.3(for I 1(Si Bia 1231x710x70 mm 1231x710x70 mm	rated EG2PS:MPEG2/MPEG2TS(I A)MotinJpeg/ASF(WMV):VC M:VP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	21/MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM//W es es ide) jc Conversion) ide) jc Conversion) ide) ade Stand 189.0 cm 277W 1674x961x71 mm 1674x1034x410 mm	nJpeg/MKV:Xvid,AVC AV/MP4AAC/FLAC/JF 400x400 mm 215.0 cm 318W 1899x1089x72 mr 1899x1089x72 mr
Network Specs Image: Convenience features Control Specs Image: Control Specs Inputs and outputs Image: Control Specs Design features Image: Control Specs Environment specs Image: Control Specs Measurements Image: Control Specs Weight Image: Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Screen Size for WEB(diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of TV with Stand (W x H x D)	MPEG2TS(HDV, AVC/MP4(XAVC S),AVC MotinJpeg/ASF(WMV) MotionJpeg/MKV:Xvid, WEBM:VP8/3GPP:MPEG WAV/MP4AA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVCHD):MPEG2, MPEG4,HEVC/AVI:Xvid, VC/MV0:Xv(MPEG4,VP8.HEVC/ AVC/MPEG4,VP8.HEVC/ 4,AVC/MP3/ASF(WMA)/ C/FLAC/JPEG 0 0 0 0 0 0 0 0 0 0 0 0 0	Integ MPEG1:MPEG1/MP MPEG4,HEVC/WEBI MPEG4,VPB.HEVC/WEBI Yi Yi Yi Yi HDCP2.3(for I HDCP2.3(for I HDCP2.3(for I 1(Si C) 1(Si C) 1(Si C) 1(Si C) C) C) C) C) C) C) C) C) C) C) C) C)	rated EG2PS:MPEG2/MPEG2TS(I A,MotinJpeg/ASF(WMV)/V M:PP8/3GPP:MPEG4,AVC/ 25 25 25 25 25 25 25 25 25 25	2//MOV:AVĆ,MPEG4,Motic /MP3/ASF(WMA)/LPCM//W es es ide) j.conversion) ide) ide) ide) ade Stand 189.0 cm 277/W 1674x961x71 mm 1674x1034x410 mm 1810x1107x186 mm	nJpeg/MKV:Xvid,AVC, AV/MP4AAC/FLAC/JP 400x400 mm 215.0 cm 318W 1899x1089x72 mn 1899x102x441 mn 2036x1232x258 mr



Next Generation 4K Picture Quality

Bring the incredible depth and quality of 4K resolution to your business with our BRAVIA 4K Professional Displays, available in 43" – 85" screen sizes.

Superior displays designed for business

Our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image. Portrait orientation reliability, advanced control, professional mode, optional interactive compatibility, 24/7 operation and an embedded HTML5 platform for easy digital signage creation.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by our 4K HDR Processor X1 enhanced processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim new design enhances any corporate or retail environment.

Do more with our BRAVIA solutions

Look no further with BRAVIA Professional. Our new full-line series features a number of remarkable built in and optional solutions to customize your BRAVIA exactly the way you want.

Key Features

Around the clock display

With reliable 24/7 operation, the BRAVIA BZ series enable you to deliver your message around the clock. BRAVIA outshines ordinary displays with an incredibly high 620 cd/m^{2*} and up to 850 cd/m^{2*} brightness, combined with a combined with stunning 4K resolution, it ensures your visual communications always stand out, even in daylight or well-lit rooms, day and night.

New functionality**

Discover a new world of possibilities with the new BRAVIA functionality. From easily mirroring your content into your BRAVIA with Apple AirPlay and Chromecast-built in, to using DICOM, and supporting the Wi-Fi 5GHz.





Simple Media Player 2 (WQF-USMP2) / Free of charge

Simple Media Player 2 is an easy-to-use standalone signage player application, allowing you to display video, photos and HTML5 content directly from a connected USB flash memory.

It's quick and intuitive to set up screens, edit and preview playlists and schedules using the BRAVIA display's remote controller.



FWA-CE100

Full HD USB Camera & Microphone exclusively designed for BRAVIA 4K Professional Displays.



STP-IR Series

Touch overlay kit for 55", 65", 75" BRAVIA 4K Professional Displays. * For other sizes, please check with Sony's representatives in your respective region.

Our Partners





📀 kabob





Extron



Assistance



Distributed	by



© 2020 Sony Electronics Asia Pacific Pte Ltd. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

BP000919-082020-A-V1

Printed in Singapore